



DEFENSE  
HEALTH AGENCY

**OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE**

**HEALTH AFFAIRS**

7700 ARLINGTON BOULEVARD, SUITE 5101  
FALLS CHURCH, VA 22042-5101

**DEPARTMENT OF DEFENSE CLINICAL LABORATORY IMPROVEMENT PROGRAM**

**High Complexity Testing**

CLIP Registration Number: DOD2091002

Accreditation Date: 1/21/2016

This Certificate applies to the following laboratory and site(s) under the direction of:

CLAYTON D. SIMON, COL, USA, MC

JPC Andrews, MD

1050 West Perimeter Rd GB-033

Joint Base Andrews, MD 20762

Accredited/Certified Testing Site(s):

Biophysical Toxicology Laboratory

IAW with Chapter 4 of the DoD Clinical Laboratory Improvement Program Manual DoDM 6440.02, this certificate issued under the authority of the United States Navy Surgeon General, is valid for two years from the date of accreditation. This certificate is subject to revocation, suspension, or other sanctions for failure to maintain accreditation and/or other violations of the DoD Clinical Laboratory Improvement Program guidelines and regulations. All correspondence relative to this certificate should be referred to the Center for Laboratory Medicine Services (DHA-HCO-CLMS), 7700 Arlington Boulevard, Suite 5101, Falls Church, VA 22042-5101.

TODD J. TETREAULT, CDR, MSC, USN

Navy Director, Center for Laboratory Medicine Services