



OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
HEALTH AFFAIRS
7700 ARLINGTON BOULEVARD, SUITE 5101
FALLS CHURCH, VA 22042-5101

DEPARTMENT OF DEFENSE CLINICAL LABORATORY IMPROVEMENT PROGRAM

High Complexity Testing

CLIP Registration Number: DOD2091002

Accreditation Date: 21-Jan-2020

This Certificate applies to the following laboratory and site(s) under the direction of:

Joel, Moncur T, COL, U.S. Army

JPC Environmental Toxicology Laboratory Silver Spring, MD

2460 Linden Lane Building 161 Suite 200

SILVER SPRING, MD 20910-1290

Accredited/Certified Testing Site(s):

Environmental Toxicology

Laboratory

This certificate is issued in accordance with DoDM 6440.02, the DoD Clinical Laboratory Improvement Program Manual, and is valid for two years from the date of accreditation. It is subject to revocation, suspension, or other sanctions for failure to maintain standards of testing as specified by the DoD Clinical Laboratory Improvement Program guidelines and regulations. All correspondence relative to this certificate should be referred to the Center for Laboratory Medicine Services, Defense Health Headquarters, Falls Church, VA 22042-5101.

MILAVEC.STACIE. Digitally signed by
ANN.1236425904 MILAVEC.STACIE.ANN.123642590
4
Date: 2020.04.03 16:50:32 -04'00'

STACIE A. MILAVEC, CDR, MSC,
Director, Center for Laboratory Medicine Services